


AN ALL-IN-ONE PRINTER WHERE ENERGY-EFFICIENCY, SPEED AND QUALITY WORK AS ONE.



The Monochrome EcoTank M15180 is built for churning out scores of prints in up to A3+ for business without a break. Featuring Epson's revolutionary Heat-Free Technology, it helps keep power consumption to a minimum - no matter the job, thus mitigating environmental impact. A resolution of 4800 dpi along with Epson's genuine pigment ink ensures water-resistant prints in impeccable quality. WiFi Direct connectivity enables wireless printing from PCs and smart devices, bringing true convenience to the table. A print speed of up to 25 ipm helps save time.



Engineered for Performance

An ultra-high print yield of up to 7,500 pages (black) and a print speed of up to 25 ipm help meet deadlines effortlessly.

Open Platform-enabled


Hassle-free printer fleet management with Epson Print Admin along with compatibility with third-party solutions.

Heat-Free Technology


A revolutionary innovation that requires no heat to eject the ink onto paper, speeding up the printing process, minimising power consumption, and going easy on the environment as a result.

Switch to Epson Heat-Free Printers for Unrivalled Benefits

EPSON ECOTANK PRINTER



LASER PRINTER



Save time with consistent high-speed printing

No heat is required to warm up, allowing the printer to print immediately with 5.5 sec of first-print-out time. Consistent high-speed printing of up to 25 pages per minute which increases productivity in workspaces.



Less power consumption saves energy and money

With no fuser unit to heat, our printers help to reduce energy consumption compared to laser printers, resulting in cost savings for electricity bills.



Fewer replacement parts, lower environmental impact

Uses fewer replacement parts than laser printers. As our printhead is not a consumable, it greatly reduces impact on the environment.



Less intervention increases productivity

With fewer parts to replace and printheads that last longer, the amount of intervention is decreased, providing improved reliability and reduced downtime.

Advanced Workflow Solutions

Stay competitive with solutions that can drive your business forward. Our Advanced Workflow Solutions are designed to help you get the most out of our business printers.

EPSON SOLUTIONS



PRINT AND SCAN MANAGEMENT**

Epson Print Admin

- A server-based solution that creates a secured and centralised printing, scanning and copying environment through user authentication.
- Helps organisations reduce printing cost and manage print programmes.

Epson Open Platform


- A platform to gain complete control of your printing operations via a range of third-party solutions.
- The M15180 is adaptable to meet specific and changing business requirements with solutions for print and document management.



DOCUMENT MANAGEMENT

Epson ScanSmart

- Simple scanning of workflow from the "Scan and Save" operation.
- Simple setup and interface.
- Edit documents easily before output.
- Automatic image processing.
- Create searchable PDF documents with the built-in OCR capability.
- Versatile output capability.
- Stitch large documents into a single page.
- Perform simple photo corrections.
- Allow scanning from the printer panel.



FLEET MANAGEMENT

Epson Device Admin

- A free software that allows you to control, analyse and manage your printer fleet centrally from one intuitive interface.
- Increase productivity.
- Reduce cost.

Epson Remote Services (ERS)

- A secure cloud-based Device Management System of registered Epson printers for service partners and end users.
- Service partners are automatically notified of any errors, which can then be resolved accurately, faster.
- Access detailed insights and receive periodic reports on the status and consumable levels of your devices anywhere.

Connectivity Features

Network Connectivity and Standalone Capability

Equipped with Ethernet, WiFi, RJ-11 fax, WiFi Direct and USB 2.0, the printer is perfect for office environments. In addition, WiFi Direct acts as an access point, allowing up to eight devices to connect to the printer at a time.



Epson Connect Enabled

Wirelessly print your documents from anywhere in the world with Epson Connect's wide range of features:

Epson Smart Panel

Control your printer remotely using a mobile device.

Epson iPrint

Print from and scan directly to your smart device or online cloud storage services.

Epson Email Print

Print to any Email Print-enabled Epson printer from any device or PC with email access.

Remote Print Driver

Print to a compatible Epson printer anywhere in the world via the Internet using a PC with Remote Print driver or from mobile devices via the Epson iPrint app.

Scan to Cloud

Share your scans through email or store them online in cloud storage services.

Other mobile solutions:

Apple® AirPrint™

Mopria™ Print Service

For more information on Epson Connect, please visit <http://www.epson.co.in/connect>

Robust Security Features

Secured Printing with PIN Release

Print confidential documents by setting a PIN to a print job for release on the printer panel.

IP Address Filter

Secure your documents by preventing unauthorised devices from connecting to the printer.

Panel Admin Mode

Set a password to access and change administrator settings for the printer. This prevents unauthorised users from changing the printer settings.

Limited Access Function


Reduce risk of information leaks by limiting the access to functions for up to 10 user accounts.

LDAP Address Book

Prevent information leaks by using the address book registered in the LDAP server to accurately select recipient's email addresses.

Low Running Cost

Enjoy excellent cost savings with water- and smudge-resistant pigment ink that leads to higher yields while producing business quality prints.

	Consumables	Page Yield*	Order Code
	Black Ink Bottle	7,500 pages	C13T06G198
	Maintenance Box		C12C934601
	Options		Order Code
	Epson Print Admin (Charges apply)		EPAIP05T01

*In accordance with ISO 24711/24712. Actual yields will vary considerably for reasons including images printed, print settings, temperature and humidity. Yields may be lower when printing infrequently or predominantly with one ink colour. A variable amount of ink remains in the cartridges after the "replace cartridge" signal. Part of the ink from the first cartridges is used for priming the printer. Ink is used for both printing and print head maintenance. All inks are used for both black and colour printing.

SPECIFICATIONS


ECOTANK M15180

Model Number	M15180	
Printer Type	Print, Scan and Copy with ADF	
Printing		
Printing Technology	PrecisionCore™ Printhead	
Nozzle Configuration	800 x 1 nozzles each (Black)	
Print Direction	Bi-directional printing	
Maximum Resolution	4800 x 2400 dpi	
Minimum Ink Droplet Volume	3.8 pl	
Print Speed ¹		
Draft Text - Memo, A4	Up to 32 ppm	
ISO 24734, A4	Simplex: Up to 25 ipm Duplex: Up to 16 ipm	
ISO 24734, A3	Simplex: Up to 13.5 ipm Duplex: Up to 10 ipm	
First Page Out Time A4 (Black / Colour)	Simplex: Up to 5.5 sec Duplex: Up to 11.0 sec	
Printer Language	ESC/P-R	
Emulation	PCL5 / PCL6 / PostScript3 / PDF (ver1.7)	
Automatic 2-sided printing	Yes (up to A3)	
Copying		
Copy Speed		
ISO 29183, A4 (Black / Colour), Flatbed	Simplex: Up to 23 ipm	
ISO 24735, A4 (Black / Colour), ADF	Simplex: Up to 22.5 ipm Duplex: Up to 15.5 ipm	
Maximum Copies from Standalone	999 copies	
Reduction / Enlargement	25 - 400%, Auto Fit Function	
Maximum Copy Resolution	600 x 600 dpi	
Maximum Copy Size	A3	
Scanning		
Scanner Type	Flatbed colour image scanner	
Sensor Type	CIS	
Optical Resolution	1200 x 2400 dpi	
Maximum Scan Area	297 x 431.8 mm	
Scanner Bit Depth		
Colour	48-bit input, 24-bit output	
Greyscale	16-bit input, 8-bit output	
Black & White	16-bit input, 1-bit output	
Scan Features	Scan to Memory Device, Scan to Network Folder / FTP, Scan to Email, Scan to Computer (Epson ScanSmart), Scan to Computer (WSD)	
Scan Speed (Flatbed / ADF (Simplex) / ADF (Duplex))		
Monochrome 200 dpi	Flatbed: 5 sec, ADF (Simplex / Duplex): Up to 26.0 ipm / 11.5 ipm	
Colour 200 dpi	Flatbed: 10 sec, ADF (Simplex / Duplex): Up to 9.0 ipm / 6.0 ipm	
ADF Function		
Support Paper Thickness	64-95 g/m ²	
Paper Capacity	50 pages (80 g/m ²)	
Card Slot / USB Host Function		
USB Host	USB Host (Scan to memory device / Storage function)	
Direct Print Paper Size	A6, A5, A4, A3, A3+, B6, B5, B4, 10 x 15 cm, 16:9 wide, 13 x 18 cm, #10, DL, C6, C4, 16K, Indian-Legal, Letter, 8.5 x 13", Legal, 8K	
Supported Formats (Direct Print)	JPEG, TIFF, PDF	
Paper Handling		
Paper Feed Method	Friction feed	
Number of Paper Trays	3 (Front 2, Rear 1)	
Paper Hold Capacity		
Input Capacity	Cassette 1: 250 sheets (80 g/m ²) Cassette 2: 250 sheets (80 g/m ²) Rear Tray: 50 sheets (80 g/m ²)	
Output Capacity	125 sheets (80 g/m ²), 20 sheets of Premium Glossy Photo Paper	
Paper Size	A6, A5, A4, B6, B5, Half Letter, Executive, 16K, Indian-Legal, Letter, 21.6 x 33 cm (8.5 x 13"), Legal 8.5 x 14" (21.6 x 35.6 cm), 10.1 x 15.2 cm (4 x 6"), 12.7 x 17.8 cm (5 x 7"), 20.3 x 25.4 cm (8 x 10"), 16:9 wide, Envelopes #10, DL, C6, C4	
Maximum Paper Size	21.6 x 600 cm (8.5 x 236.2")	
Print Margin	0 mm top, left, right, bottom via custom settings in printer driver (except plain paper) ³	
Interface		
USB	USB 2.0	
Network	Ethernet, WiFi IEEE 802.11b/g/n, WiFi Direct (8 connections)	
Network Protocol	TCP/IPv4, TCP/IPv6, LPD, IPP, PORT9100, WSD	
Network Management Protocols	SNMP, HTTP, DHCP, BOOTP, APIPA, PING, DDNS, mDNS, Sntp, SLP, WSD, LLTD	
Security Functions	Limit Access Function, PIN No. Certification, LDAP Address Book, IP Address Filtering, Panel Admin Mode	
Epson Open Platform	Yes	
Mobile and Cloud Printing		
Epson Connect	Epson Smart Panel, Epson iPrint, Epson Email Print, Remote Print Driver, Scan to Cloud	
Other Mobile Solutions	Apple AirPrint, Mopria Print Service	
Control Panel		
LCD Screen	10.9 cm (4.3") TFT Colour Touch LCD	
Printer Software		
Software Support	Epson ScanSmart (Win / Mac)	
Operating System Compatibility	Windows XP / Vista / 7 / 8 / 8.1 / 10 Windows Server 2003 / 2008 / 2012 / 2016 / 2019 Mac OS X 10.6.8 or later	
Electrical Specifications		
Rated Voltage	AC 220 - 240 V	
Rated Frequency	50 - 60 Hz	
Power Consumption		
Operating	21 W	
Standby	9.9 W	
Sleep	0.8 W	
Power Off	0.2 W	
Typical Electricity Consumption (TEC) Number	0.14 kWh	
Noise Level		
PC Printing / Black	6.7B(A), 52dB(A)	
Consumables	Page Yield⁵	Order Code
Black Ink Bottle	7,500	C13T06G198
Part Code of Maintenance Box		C12C934601
Epson Print Admin	EPAIP05T01	
(Charges apply)		

Dimensions & Weight

M15180

Weight: 20.2 kg



¹ Print speed (Pages Per Minute) is calculated when printed on A4 plain paper in the fastest mode. Print speed may vary depending on system configuration, print mode, document complexity, software, type of paper used and connectivity. Print speed does not include processing time on host computer.



#1
Black Text

© 2022 Epson India Pvt. Ltd. All Rights Reserved. Reproduction in part or in whole, without the written permission from Epson, is strictly prohibited. EPSON and EXCEED YOUR VISION are registered trademarks of Seiko Epson Corporation. All other products names and other company names used herein are for identification purposes only and are the trademarks or registered trademarks of their respective owners. Epson disclaims any and all rights in those marks. Print samples shown are simulations only. Specifications and product availability are subject to change without notice and may vary between countries. Please check with local Epson offices for more information.

Apple, iPad and iPhone are trademarks of Apple Inc., registered in the U.S. and other countries. App Store is a service mark of Apple Inc.

Android is a trademark of Google Inc.

Dealer's Stamp

Information correct at time of printing
Printed May 2022

EPSON INDIA PVT. LTD.

12th Floor, The Millennia, Tower A, No.1,
Murphy Road, Ulsoor, Bangalore - 560 008.
Tel: 080-4566 5000 Fax: 080-4566 5005



Epson Helpline: For product info or service - 1800 425 0011

For service - 1800 123 001 600 or 1860 3000 1600 (9AM - 6PM) (Mon- Sat)

Email: think@eid.epson.co.in

www.epson.co.in